

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------|------------------|---------|---------------------|
| L1 | 38 | ((profile) with (client or device) with (reference or pointer)) and ((diagnostic\$3 or manag\$5) with (application or program or agent) with (transfer\$4 or transmit\$4 or send \$3)) and "709".clas. | US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB | OR | ON | 2009/02/24 20:44 |
| L2 | 10 | ((profile) with (client or device) with (generat\$3 or creat\$3) with (server or host)) and (profile with (referenc\$3 or pointer)) and (diagnostic\$3 or interrogat\$4) and "709".clas. | US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB | OR | ON | 2009/02/24 20:44 |
| L3 | 31 | (profile with (client or device or terminal) with (generat\$3 or creat\$3) with (server or host) with database) and ((diagnostic\$3 or diagnos\$4 or scan \$4 or quer\$4 or interrogat\$4) with (program or software or daemon or agent or applet or application)) and ((reference or address) with (profile)) and "709".clas. | US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB | OR | ON | 2009/02/24 20:44 |

| | | | | | | |
|-----|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------|----|----|---------------------|
| L4 | 105 | ((profile) with client with (reference or pointer)) and "709".clas. | US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB | OR | ON | 2009/02/24 20:44 |
| S1 | 363 | ((profile) with client with (reference or pointer)) | US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB | OR | ON | 2009/02/22 17:21 |
| S2 | 12 | ((profile) with client with (reference or pointer)) and ((diagnostic\$3 or manag\$5) with (application or program or agent) with (transfer\$4 or transmit\$4 or send \$3) with client) | US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB | OR | ON | 2009/02/22 17:22 |
| S10 | 2 | "6876652".pn. | US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB | OR | ON | 2009/02/22 17:44 |
| S11 | 4 | ("6876652" "6868092").pn. | US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB | OR | ON | 2009/02/22 17:47 |
| S12 | 278 | ((profile) with (client or node or device) with (reference or pointer)) and ((diagnostic\$3 or manag\$5) with (application or program or agent) with (transfer\$4 or transmit\$4 or send \$3)) | US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB | OR | ON | 2009/02/22 17:53 |

| | | | | | | |
|-----|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------|----|----|------------------|
| S13 | 255 | ((profile) with (client or device) with (reference or pointer)) and ((diagnostic\$3 or manag\$5) with (application or program or agent) with (transfer\$4 or transmit\$4 or send \$3)) | US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB | OR | ON | 2009/02/22 17:53 |
| S14 | 119 | ((profile) with (client or device) with (reference or pointer) with (generat\$3 or creat \$3)) and ((diagnostic\$3 or manag\$5) with (application or program or agent) with (transfer\$4 or transmit\$4 or send \$3)) | US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB | OR | ON | 2009/02/22 17:55 |
| S15 | 117 | ((profile) with (client or device) with (reference or pointer) with (generat\$3 or creat \$3)) and ((diagnostic\$3 or interrogat\$4 or scan\$4) with (application or program or agent) with (transfer\$4 or transmit\$4 or send \$3)) | US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB | OR | ON | 2009/02/22 20:41 |

| | | | | | | |
|-----|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------|----|----|------------------|
| S16 | 24 | ((profile) with (client or device) with (reference or pointer) with (generat\$3 or creat\$3)) and ((diagnostic\$3 or interrogat\$4) with (application or program or agent) with (transfer\$4 or transmit\$4 or send\$3)) | US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB | OR | ON | 2009/02/22 20:41 |
| S17 | 2 | ((profile) with (client or device) with (reference or pointer) with (generat\$3 or creat\$3)) and ((diagnostic\$3 or interrogat\$4) with (application or program or agent) with (transfer\$4 or transmit\$4 or send\$3)) and "709". clas. | US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB | OR | ON | 2009/02/22 20:41 |
| S18 | 5 | ((profile) with (client or device) with (generat\$3 or creat\$3) with (server or host)) and ((diagnostic\$3 or interrogat\$4) with (application or program or agent) with (transfer\$4 or transmit\$4 or send\$3)) | US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB | OR | ON | 2009/02/22 20:48 |
| S19 | 95 | ((profile) with (client or device) with (generat\$3 or creat\$3) with (server or host)) and ((diagnostic\$3 or interrogat\$4) with (application or program or agent)) | US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB | OR | ON | 2009/02/22 20:50 |

| | | | | | | |
|-----|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------|----|----|------------------|
| S20 | 13 | ((profile) with (client or device) with (generat\$3 or creat\$3) with (server or host)) and (profile with (referenc\$3 or pointer)) and ((diagnostic\$3 or interrogat\$4) with (application or program or agent)) | US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB | OR | ON | 2009/02/22 20:51 |
| S21 | 37 | ((profile) with (client or device) with (generat\$3 or creat\$3) with (server or host)) and (profile with (referenc\$3 or pointer)) and (diagnostic\$3 or interrogat\$4) | US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB | OR | ON | 2009/02/22 21:08 |
| S22 | 3 | "6804716".pn. | US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB | OR | ON | 2009/02/22 21:17 |
| S23 | 321 | (profile with (client or device) with (generat\$3 or creat\$3) with (server or host)) and (profile with (referenc\$3 or pointer)) and (diagnostic\$3 or diagnos\$4 or scan \$4 or quer\$4 or interrogat\$4) | US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB | OR | ON | 2009/02/22 21:34 |

| | | | | | | |
|-----|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------|----|----|------------------|
| S24 | 42 | (profile with (client or device) with (generat\$3 or creat\$3) with (server or host)) and (profile with (referenc\$3 or pointer)) and (diagnostic\$3 or diagnos\$4 or interrogat\$4)) | US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB | OR | ON | 2009/02/22 21:37 |
| S25 | 5 | S24 not S21 | US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB | OR | ON | 2009/02/22 21:37 |
| S26 | 93 | (profile with (client or device) with (generat\$3 or creat\$3) with (server or host)) and (profile with referenc\$3) and ((diagnostic\$3 or diagnos\$4 or scan \$4 or quer\$4 or interrogat\$4) with (program or software or daemon or agent or applet or application)) | US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB | OR | ON | 2009/02/22 21:48 |
| S27 | 200 | (profile with (client or device or terminal) with (generat\$3 or creat\$3) with (server or host)) and (profile with (referenc\$3 or address)) and ((diagnostic\$3 or diagnos\$4 or scan \$4 or quer\$4 or interrogat\$4) with (program or software or daemon or agent or applet or application)) | US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB | OR | ON | 2009/02/23 14:22 |

| | | | | | | |
|-----|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------|----|----|------------------|
| S28 | 50 | (profile with (client or device or terminal) with (generat\$3 or creat\$3) with (server or host)) and (profile with (referenc\$3 or address)) and ((diagnostic\$3 or diagnos\$4 or scan\$4 or quer\$4 or interrogat\$4) with (transmit\$4 or transfer\$4 or send\$4 or download\$4) with (program or software or daemon or agent or applet or application)) | US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB | OR | ON | 2009/02/23 16:46 |
| S29 | 13 | (profile with (client or device or terminal) with (generat\$3 or creat\$3) with (server or host) with database) and (profile with (referenc\$3 or address)) and ((diagnostic\$3 or diagnos\$4 or scan\$4 or quer\$4 or interrogat\$4) with (transmit\$4 or transfer\$4 or send\$4 or download\$4) with (program or software or daemon or agent or applet or application)) | US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB | OR | ON | 2009/02/23 16:49 |

| | | | | | | |
|-----|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------|----|----|------------------|
| S30 | 12 | (profile with (client or device or terminal) with (generat\$3 or creat\$3) with (server or host) with database) and (profile with (referenc\$3 or address)) and ((diagnostic\$3 or diagnos\$4 or scan\$4 or quer\$4 or interrogat\$4) with (transmit\$4 or transfer\$4 or send\$4 or download\$4) with (program or software or daemon or agent or applet or application)) and ((reference or address) with (client or device or terminal)) | US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB | OR | ON | 2009/02/23 16:56 |
| S31 | 11 | (profile with (client or device or terminal) with (generat\$3 or creat\$3) with (server or host) with database) and ((diagnostic\$3 or diagnos\$4 or scan\$4 or quer\$4 or interrogat\$4) with (transmit\$4 or transfer\$4 or send\$4 or download\$4) with (program or software or daemon or agent or applet or application)) and ((reference or address) with (client or device or terminal) with profile) | US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB | OR | ON | 2009/02/23 17:14 |

| | | | | | | |
|-----|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------|----|----|------------------|
| S32 | 12 | (profile with (client or device or terminal) with (generat\$3 or creat\$3) with (server or host) with database) and ((diagnostic\$3 or diagnos\$4 or scan\$4 or quer\$4 or interrogat\$4) with (transmit\$4 or transfer\$4 or send\$4 or download\$4) with (program or software or daemon or agent or applet or application)) and ((reference or address) with (profile)) | US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB | OR | ON | 2009/02/23 17:15 |
| S33 | 49 | (profile with (client or device or terminal) with (generat\$3 or creat\$3) with (server or host) with database) and ((diagnostic\$3 or diagnos\$4 or scan\$4 or quer\$4 or interrogat\$4) with (program or software or daemon or agent or applet or application)) and ((reference or address) with (profile)) | US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB | OR | ON | 2009/02/23 17:18 |

| | | | | | | |
|-----|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------|----|----|---------------------|
| S34 | 25 | (profile with (client or device or terminal) with (generat\$3 or creat\$3) with (server or host) with database) and ((diagnostic\$3 or diagnos\$4 or scan\$4 or monitor\$3 or quer\$4 or interrogat\$4) with (transmit\$4 or transfer\$4 or send\$4 or download\$4) with (program or software or daemon or agent or applet or application)) and ((reference or address) with (profile)) | US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB | OR | ON | 2009/02/23 17:19 |
| S35 | 13 | S34 not S32 | US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB | OR | ON | 2009/02/23 17:19 |
| S39 | 1 | "10539056" | US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB | OR | ON | 2009/02/24 19:14 |

2/24/09 9:00:41 PM

C:\Documents and Settings\achoudhury\My Documents\EAST\Workspaces
\azizul10539056.wsp